


Addressing Micronutrient Deficiencies Through Agronomic Biofortification


Howarth Bouis Founding Director, HarvestPlus November 18, 2019

HarvestPlus c/o IFPRI 2033 K Street, NW • Washington, DC 20006-1002 USA Tel: 202-862-5600 • Fax: 202-467-4439 HarvestPlus@cgiar.org • www.HarvestPlus.org



1





Average grain concentrations of zinc, iodine (I) and selenium after application of a micronutrient cocktail to foliar sprays for wheat grown in China, India, Pakistan, Mexico, South Africa and Turkey

Treatment	Zinc (mg kg ⁻)	lodine (μ	Selenium g kg ⁻)
No (control)	29	24	92
Treatment of Zn+I+Se	48	249	338

Zou et al., 2019, J. Agric Food Chem

5

Effect of High Zinc Wheat Intervention on Morbidity Indicators

Indicator	High Zinc Wheat Subjects	Low Zinc Wheat Subjects	Days of Sickness Averted For ~ 1300 Subjects Over 180 Days	Difference Significant at 5% Level of Confidence?		
Children 4-6 Years						
Days With Pneumonia	203	244	41	YES		
Days With Vomiting	60	99	39	YES		
Women 15-49 Years						
Days With Fever	999	1092	93	YES		

Sazawal S, et al. Nutr J. 2018 17(1)



In Conclusion ...

"Such intimately related subjects as agriculture, food, nutrition and health have become split up into innumerable rigid and self-contained little units, each in the hands of some group of specialists. The experts, ...soon find themselves...learning more and more about less and less...The remedy is to look at the whole field covered by crop production, animal husbandry, food, nutrition, and health as one related subject and...to realize...that the birthright of every crop, every animal, and every human being is health."

••

7





Sir Albert Howard, 1873-1947 "The Soil and Health," 1945